

2024 FIRST CONSULTATION 1 July – 30 September 2024

Compiled comments for Draft annex to ISPM 28: Irradiation treatment for *Paracoccus marginatus* (2023-034) - English

T (Type) - B = Bullet, C = Comment, P = Proposed Change, R = Rating

S (Status) - A = Accepted, C = Closed, O = Open, W = Withdrawn, M = Merged

Para	Text	T	Comment
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (55) Costa Rica (30 Sep 2024 11:24 PM) No comments
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (53) Belarus (30 Sep 2024 3:01 PM) The Republic of Belarus would like to formally endorse the EPPO comments submitted via the IPPC Online Comment System
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (52) Barbados (30 Sep 2024 11:35 AM) Barbados has no objections to this draft annex.
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (48) Nigeria (28 Sep 2024 1:54 AM) NO COMMENTS.
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (47) Germany (27 Sep 2024 6:01 PM) Germany would like to formally endorse the EPPO comments submitted via the IPPC Online Comment System.
G	(General Comment)	C	<i>Category : TECHNICAL</i> (46) Chile (27 Sep 2024 4:23 PM) Chile agrees with COSAVE comments
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (41) Guyana (25 Sep 2024 4:52 PM) Guyana supports this draft annex.
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (35) United Kingdom (24 Sep 2024 4:46 PM) The UK would like to formally endorse the EPPO comments submitted via the IPPC Online Comment System. EPPO have submitted these comments on behalf of the UK and as such they should be considered as UK national comments.
G	(General Comment)	C	<i>Category : TECHNICAL</i> (34) United States of America (24 Sep 2024 12:22 PM) This treatment seems well supported by the studies of Song et al 2023 and Seth et al 2016, with good sample sizes and a good argument for testing gravid females in the confirmatory tests. Is there consideration given to establishing a single generic dose for Pseudococcids?
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (33) Switzerland (24 Sep 2024 12:19 PM) Switzerland would like to formally endorse the EPPO comments submitted via the IPPC Online Comment System
G	(General Comment)	C	<i>Category : TECHNICAL</i> (29) Uruguay (21 Sep 2024 1:26 PM) Uruguay agrees with COSAVE comments
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (21) Mexico (6 Sep 2024 5:40 PM)

			No comments from Mexico. Mexico supports the adoption of this annex to ISPM 28: Irradiation treatment for <i>Paracoccus marginatus</i> (2023-034) in its current format.
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (20) Senegal (29 Aug 2024 12:00 PM) No comment
G	(General Comment)	C	<i>Category : EDITORIAL</i> (17) South Africa (20 Aug 2024 12:04 PM) No comments
G	(General Comment)	C	<i>Category : TECHNICAL</i> (8) COSAVE (15 Aug 2024 12:45 AM) We agree with the document as it is
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (6) New Zealand (8 Aug 2024 6:00 AM) New Zealand supports the adoption of this annex
G	(General Comment)	C	<i>Category : SUBSTANTIVE</i> (1) Nigeria (22 Jul 2024 12:45 PM) No comments
1	DRAFT ANNEX TO ISPM 28: Irradiation treatment for <i>Paracoccus marginatus</i> (2023-034)	C	<i>Category : SUBSTANTIVE</i> (54) Russian Federation (30 Sep 2024 5:10 PM) 'General comment': "The Russian Federation would like to formally endorse the EPPO comments submitted via the IPPC Online Comment System"
1	DRAFT ANNEX TO ISPM 28: Irradiation treatment for <i>Paracoccus marginatus</i> (2023-034)	C	<i>Category : SUBSTANTIVE</i> (50) Malawi (29 Sep 2024 10:58 AM) We support the Draft Annex to ISPM 28
1	DRAFT ANNEX TO ISPM 28: Irradiation treatment for <i>Paracoccus marginatus</i> (2023-034)	C	<i>Category : EDITORIAL</i> (45) Canada (27 Sep 2024 4:08 PM) Canada supports this DRAFT ANNEX.
1	DRAFT ANNEX TO ISPM 28: Irradiation treatment for	C	<i>Category : TECHNICAL</i> (42) Kenya (26 Sep 2024 9:57 AM) Add common name ; papaya mealybug before <i>Paracoccus</i>) <i>marginatus</i> in the title

	<i>Paracoccus marginatus</i> (2023-034)		
1	<u>DRAFT ANNEX TO ISPM 28: PROYECTO DE ANEXO A LA NIMF 28: Irradiation treatment for Tratamiento de irradiación para <i>Paracoccus marginatus</i> <i>Paracoccus marginatus</i> (2023-034) (2023-034)</u>	P	Category : <i>SUBSTANTIVE</i> (22) Honduras (8 Sep 2024 10:36 PM) Honduras apoya la adopción de este anexo a la NIMF 28: Tratamiento de irradiación para <i>Paracoccus marginatus</i> (2023-034) .
1	DRAFT ANNEX TO ISPM 28: Irradiation treatment for <i>Paracoccus marginatus</i> (2023-034)	C	Category : <i>SUBSTANTIVE</i> (14) Malawi (18 Aug 2024 1:27 PM) We support the Draft Annex to ISPM 28
1	DRAFT ANNEX TO ISPM 28: Irradiation treatment for <i>Paracoccus marginatus</i> (2023-034)	C	Category : <i>SUBSTANTIVE</i> (13) Malawi (16 Aug 2024 8:47 AM) We agree with the Draft Annex to ISPM 28.
19	This treatment describes irradiation of fruits and vegetables at 185 Gy minimum absorbed dose to prevent the hatching of eggs from <i>Paracoccus marginatus</i> at the stated efficacy. ^[1]	C	Category : <i>TECHNICAL</i> (43) Kenya (26 Sep 2024 11:13 AM) What is the efficacy of this treatment to the crawlers of <i>Paracoccus marginatus</i> ? Effect on crawlers should be considered because they are small, just like the eggs and may evade detection
19	This treatment describes irradiation of fruits and	P	Category : <i>TECHNICAL</i> (38) European Union (25 Sep 2024 3:29 PM)

	vegetables and ornamental plants at 185 Gy minimum absorbed dose to prevent the hatching of eggs from <i>Paracoccus marginatus</i> at the stated efficacy. ¹		For consistency with paragraph 26.
19	This treatment describes the irradiation of fruits and all fruits, vegetables and ornamental plants at 185 Gy minimum absorbed dose to prevent the hatching of eggs from <i>Paracoccus marginatus</i> at the stated efficacy. ¹	P	Category : TECHNICAL (30) Kuwait (24 Sep 2024 7:58 AM)
19	This treatment describes the irradiation of fruits and fruits, vegetables and ornamental plants at 185 Gy minimum absorbed dose to prevent the hatching of eggs from <i>Paracoccus marginatus</i> at the stated efficacy. ¹	P	Category : EDITORIAL (28) Japan (19 Sep 2024 3:37 PM) For consistency with paragraph 26 "Target regulated articles"
19	This treatment describes irradiation of fruits, vegetables and ornamental plants at 185 Gy minimum absorbed dose to prevent the hatching of eggs from <i>Paracoccus marginatus</i> at the stated efficacy.¹ This treatment describes irradiation of fruits and vegetables at 185 Gy minimum absorbed dose to prevent the hatching of eggs	P	Category : TECHNICAL (23) EPPO (13 Sep 2024 10:08 AM) For consistency with paragraph 26.

	from <i>Paracoccus marginatus</i> at the stated efficacy. ⁺		
25	Target pest <i>Paracoccus marginatus</i> Williams and Granara de Willink, 1992 (Hemiptera: Pseudococcidae)	C	Category : EDITORIAL (39) European Union (25 Sep 2024 3:32 PM) Typo: please fix the alignment of the paragraph.
25	Target pest	C	Category : EDITORIAL (24) EPPO (13 Sep 2024 10:08 AM) Typo: please fix the alignment of the paragraph.
28	Minimum The minimum absorbed dose of is 185 Gy to prevent the hatching of eggs from <i>Paracoccus marginatus</i> .	P	Category : EDITORIAL (31) Kuwait (24 Sep 2024 7:59 AM)
28	Minimum absorbed dose of 185 Gy to prevent the hatching of eggs from <i>Paracoccus marginatus</i> .	C	Category : TECHNICAL (19) Guinea-Bissau (21 Aug 2024 10:40 AM) We agree with that, it can be like is.
29	There is 95% confidence that the treatment according to this schedule prevents the hatching of eggs from not less than than 99.9950% 995% of all life stages of <i>Paracoccus marginatus</i> .	P	Category : EDITORIAL (37) European Union (25 Sep 2024 3:26 PM) Please can the editor check which is the correct way to write this number in the TPs?
29	There is 95% confidence that the treatment according to this schedule prevents the hatching of eggs from not less than 99.9950% 995% of all life stages of <i>Paracoccus marginatus</i> .	P	Category : EDITORIAL (25) EPPO (13 Sep 2024 10:08 AM) Please can the editor check which is the correct way to write this number in the TPs?
31	This treatment should not be applied to hosts stored in a modified atmosphere	P	Category : EDITORIAL (32) Kuwait (24 Sep 2024 8:00 AM)

	<u>atmosphere</u> , because the modified-atmosphere-it may affect the treatment efficacy.		
33	Because irradiation may not result in outright mortality, inspectors may encounter live but non-viable <i>Paracoccus marginatus</i> life stages during the inspection process. This does not imply a failure of the treatment.	C	Category : TECHNICAL (18) Guinea-Bissau (21 Aug 2024 10:28 AM) We do not have any coments, it is fine like this
35	The efficacy of this schedule was calculated based on a total of 660-3680 386 gravid females treated with no egg hatching; the control egg hatching was 96.96% in all confirmatory trials conducted.	P	Category : TECHNICAL (15) Thailand (19 Aug 2024 3:54 AM) To comply with the reference document.
36	Extrapolation of treatment efficacy to all hosts was based on knowledge and experience that radiation dosimetry systems measure the actual radiation dose absorbed by the target pest independent of host commodity, and evidence from research studies on a variety of pests and commodities. These include studies on the following pests and hosts: <i>Anastrepha fraterculus</i> (<i>Eugenia pyriformis</i> , <i>Malus pumila</i>	C	Category : EDITORIAL (51) Australia (30 Sep 2024 10:54 AM) Please make formatting of genus and species names consistent.

	<p>and <i>Mangifera indica</i>), <i>Anastrepha ludens</i> (<i>Citrus paradisi</i>, <i>Citrus sinensis</i>, <i>Mangifera indica</i> and artificial diet), <i>Anastrepha obliqua</i> (<i>Averrhoa carambola</i>, <i>C. sinensis</i> and <i>Psidium guajava</i>), <i>Anastrepha suspensa</i> (<i>Averrhoa carambola</i>, <i>C. paradisi</i> and <i>Mangifera indica</i>), <i>Bactrocera tryoni</i> (<i>C. sinensis</i>, <i>Solanum lycopersicum</i>, <i>Malus pumila</i>, <i>Mangifera indica</i>, <i>Persea americana</i> and <i>Prunus avium</i>), <i>Cydia pomonella</i> (<i>Malus pumila</i> and artificial diet), <i>Grapholita molesta</i> (<i>Malus pumila</i> and artificial diet), <i>Pseudococcus jackbeardsleyi</i> (<i>Cucurbita</i> sp. and <i>Solanum tuberosum</i>) and <i>Tribolium confusum</i> (<i>Triticum aestivum</i>, <i>Hordeum vulgare</i> and <i>Zea mays</i>) (Bustos <i>et al.</i>, 2004; Gould and von Windeguth, 1991; Hallman, 2004a, 2004b, 2013; Hallman and Martinez, 2001; Hallman <i>et al.</i>, 2010; Jessup <i>et al.</i>, 1992; Mansour, 2003; Tunçbilek and Kansu, 1996; von Windeguth, 1986; von Windeguth and Ismail,</p>		
--	---	--	--

	1987; Zhan <i>et al.</i> , 2016). It is recognized, however, that treatment efficacy has not been tested for all potential hosts of the target pest. If evidence becomes available to show that the extrapolation of the treatment to cover all hosts of this pest is incorrect, the treatment will be reviewed.		
36	Extrapolation of treatment efficacy to all hosts was based on knowledge and experience that radiation dosimetry systems measure the actual radiation dose absorbed by the target pest independent of host commodity, and evidence from research studies on a variety of pests and commodities. These include studies on the following pests and hosts: <i>Anastrepha fraterculus</i> (<i>Eugenia pyriformis</i> , <i>Malus pumila</i> and <i>Mangifera indica</i>), <i>Anastrepha ludens</i> (<i>Citrus paradisi</i> , <i>Citrus sinensis</i> , <i>Mangifera indica</i> and artificial diet), <i>Anastrepha obliqua</i> (<i>Averrhoa carambola</i> , Citrus <i>Citrus sinensis</i> and <i>Psidium guajava</i>), <i>Anastrepha suspensa</i>	P	<p>Category : EDITORIAL</p> <p>(40) European Union (25 Sep 2024 3:40 PM)</p> <p>1), 2) and 3): "C." -> "Citrus": For consistency with the other adopted PTs (see for example PT 42 and PT 45).</p> <p>4) "Solanum lycopersicum" and 5) "Triticum aestivum": To be put in alphabetical order.</p>

<p>(<i>Averrhoa carambola</i>, <i>Citrus</i> <i>C. paradisi</i> and <i>Mangifera indica</i>), <i>Bactrocera tryoni</i> (<i>Citrus</i> <i>C. sinensis</i>, <i>Solanum lycopersicum</i>, <i>Malus pumila</i>, <i>Mangifera indica</i>, <i>Mangifera indica</i> <i>Persea americana</i>, <i>Persea americana</i> <i>Prunus avium</i> and <i>Prunus avium</i> <i>Solanum lycopersicum</i>), <i>Cydia pomonella</i> (<i>Malus pumila</i> and artificial diet), <i>Grapholita molesta</i> (<i>Malus pumila</i> and artificial diet), <i>Pseudococcus jackbeardsleyi</i> (<i>Cucurbita</i> sp. and <i>Solanum tuberosum</i>) and <i>Tribolium confusum</i> (<i>Triticum</i> <i>Hordeum vulgare</i>, <i>Triticum aestivum</i>, <i>Hordeum vulgare</i> and <i>Zea mays</i>) (Bustos <i>et al.</i>, 2004; Gould and von Windeguth, 1991; Hallman, 2004a, 2004b, 2013; Hallman and Martinez, 2001; Hallman <i>et al.</i>, 2010; Jessup <i>et al.</i>, 1992; Mansour, 2003; Tunçbilek and Kansu, 1996; von Windeguth, 1986; von Windeguth and Ismail, 1987; Zhan <i>et al.</i>, 2016). It is recognized, however, that treatment efficacy has not been tested for all potential</p>		
---	--	--

	hosts of the target pest. If evidence becomes available to show that the extrapolation of the treatment to cover all hosts of this pest is incorrect, the treatment will be reviewed.		
36	<u>Extrapolation of treatment efficacy to all hosts was based on knowledge and experience that radiation dosimetry systems measure the actual radiation dose absorbed by the target pest independent of host commodity, and evidence from research studies on a variety of pests and commodities. These include studies on the following pests and hosts: <i>Anastrepha fraterculus</i> (<i>Eugenia pyriformis</i>, <i>Malus pumila</i> and <i>Mangifera indica</i>), <i>Anastrepha ludens</i> (<i>Citrus paradisi</i>, <i>Citrus sinensis</i>, <i>Mangifera indica</i> and artificial diet), <i>Anastrepha obliqua</i> (<i>Averrhoa carambola</i>, <i>Citrus sinensis</i> and <i>Psidium guajava</i>), <i>Anastrepha suspensa</i> (<i>Averrhoa carambola</i>, <i>Citrus paradisi</i> and <i>Mangifera indica</i>), <i>Bactrocera tryoni</i> (<i>Citrus sinensis</i>, <i>Malus pumila</i>,</u>	P	<p>Category : EDITORIAL (26) EPPO (13 Sep 2024 10:08 AM) 1), 2) and 3): "C." -> "Citrus": For consistency with the other adopted PTs (see for example PT 42 and PT 45). 4) "Solanum lycopersicum" and 5) "Triticum aestivum": To be put in alphabetical order.</p>

	<p><u><i>Mangifera indica</i>, <i>Persea americana</i>, <i>Prunus avium</i> and <i>Solanum lycopersicum</i>), <i>Cydia pomonella</i> (<i>Malus pumila</i> and artificial diet), <i>Grapholita molesta</i> (<i>Malus pumila</i> and artificial diet), <i>Pseudococcus jackbeardsleyi</i> (<i>Cucurbita</i> sp. and <i>Solanum tuberosum</i>) and <i>Tribolium confusum</i> (<i>Hordeum vulgare</i>, <i>Triticum aestivum</i> and <i>Zea mays</i>) (Bustos <i>et al.</i>, 2004; Gould and von Windeguth, 1991; Hallman, 2004a, 2004b, 2013; Hallman and Martinez, 2001; Hallman <i>et al.</i>, 2010; Jessup <i>et al.</i>, 1992; Mansour, 2003; Tunçbilek and Kansu, 1996; von Windeguth, 1986; von Windeguth and Ismail, 1987; Zhan <i>et al.</i>, 2016). It is recognized, however, that treatment efficacy has not been tested for all potential hosts of the target pest. If evidence becomes available to show that the extrapolation of the treatment to cover all hosts of this pest is incorrect, the treatment will be reviewed.</u>Extrapolation of treatment efficacy to all hosts was based on</p>		
--	---	--	--

	<p>knowledge and experience that radiation dosimetry systems measure the actual radiation dose absorbed by the target pest independent of host commodity, and evidence from research studies on a variety of pests and commodities. These include studies on the following pests and hosts: <i>Anastrepha fraterculus</i> (<i>Eugenia pyriformis</i>, <i>Malus pumila</i> and <i>Mangifera indica</i>), <i>Anastrepha ludens</i> (<i>Citrus paradisi</i>, <i>Citrus sinensis</i>, <i>Mangifera indica</i> and artificial diet), <i>Anastrepha obliqua</i> (<i>Averrhoa carambola</i>, <i>C. sinensis</i> and <i>Psidium guajava</i>), <i>Anastrepha suspensa</i> (<i>Averrhoa carambola</i>, <i>C. paradisi</i> and <i>Mangifera indica</i>), <i>Bactrocera tryoni</i> (<i>C. sinensis</i>, <i>Solanum lycopersicum</i>, <i>Malus pumila</i>, <i>Mangifera indica</i>, <i>Persea americana</i> and <i>Prunus avium</i>), <i>Cydia pomonella</i> (<i>Malus pumila</i> and artificial diet), <i>Grapholita molesta</i> (<i>Malus pumila</i> and artificial diet), <i>Pseudococcus jackbeardsleyi</i> (<i>Cucurbita</i></p>		
--	--	--	--

	<p>sp. and <i>Solanum tuberosum</i> and <i>Tribolium confusum</i> (<i>Triticum aestivum</i>, <i>Hordeum vulgare</i> and <i>Zea mays</i>) (Bustos <i>et al.</i>, 2004; Gould and von Windeguth, 1991; Hallman, 2004a, 2004b, 2013; Hallman and Martinez, 2001; Hallman <i>et al.</i>, 2010; Jessup <i>et al.</i>, 1992; Mansour, 2003; Tunçbilek and Kansu, 1996; von Windeguth, 1986; von Windeguth and Ismail, 1987; Zhan <i>et al.</i>, 2016). It is recognized, however, that treatment efficacy has not been tested for all potential hosts of the target pest. If evidence becomes available to show that the extrapolation of the treatment to cover all hosts of this pest is incorrect, the treatment will be reviewed.</p>		
36	<p>Extrapolation of treatment efficacy to all hosts was based on knowledge and experience that radiation dosimetry systems measure the actual radiation dose absorbed by the target pest independent of host commodity, and evidence from research studies on a variety of pests and commodities. These</p>	C	<p>Category : EDITORIAL (16) South Africa (20 Aug 2024 12:03 PM) Consider placing the pests along with references in a table format</p>

<p>include studies on the following pests and hosts: <i>Anastrepha fraterculus</i> (<i>Eugenia pyriformis</i>, <i>Malus pumila</i> and <i>Mangifera indica</i>), <i>Anastrepha ludens</i> (<i>Citrus paradisi</i>, <i>Citrus sinensis</i>, <i>Mangifera indica</i> and artificial diet), <i>Anastrepha obliqua</i> (<i>Averrhoa carambola</i>, <i>C. sinensis</i> and <i>Psidium guajava</i>), <i>Anastrepha suspensa</i> (<i>Averrhoa carambola</i>, <i>C. paradisi</i> and <i>Mangifera indica</i>), <i>Bactrocera tryoni</i> (<i>C. sinensis</i>, <i>Solanum lycopersicum</i>, <i>Malus pumila</i>, <i>Mangifera indica</i>, <i>Persea americana</i> and <i>Prunus avium</i>), <i>Cydia pomonella</i> (<i>Malus pumila</i> and artificial diet), <i>Grapholita molesta</i> (<i>Malus pumila</i> and artificial diet), <i>Pseudococcus jackbeardsleyi</i> (<i>Cucurbita</i> s.p. and <i>Solanum tuberosum</i>) and <i>Tribolium confusum</i> (<i>Triticum aestivum</i>, <i>Hordeum vulgare</i> and <i>Zea</i></p>		
---	--	--

	<p><i>mays</i>) (Bustos <i>et al.</i>, 2004; Gould and von Windeguth, 1991; Hallman, 2004a, 2004b, 2013; Hallman and Martinez, 2001; Hallman <i>et al.</i>, 2010; Jessup <i>et al.</i>, 1992; Mansour, 2003; Tunçbilek and Kansu, 1996; von Windeguth, 1986; von Windeguth and Ismail, 1987; Zhan <i>et al.</i>, 2016). It is recognized, however, that treatment efficacy has not been tested for all potential hosts of the target pest. If evidence becomes available to show that the extrapolation of the treatment to cover all hosts of this pest is incorrect, the treatment will be reviewed.</p>		
39	References	C	<p>Category : EDITORIAL (49) China (29 Sep 2024 4:15 AM) The format of references is not uniform</p>

2024 FIRST CONSULTATION 1 July – 30 September 2024

Compiled comments for Draft annex to ISPM 28: Irradiation treatment for *Paracoccus marginatus* (2023-034) - Spanish

T (Type) - B = Bullet, C = Comment, P = Proposed Change, R = Rating

S (Status) - A = Accepted, C = Closed, O = Open, W = Withdrawn, M = Merged

Para	Text	T	Comment
G	(General Comment)	C	Category : TECHNICAL (7) Uruguay (11 Aug 2024 1:53 PM) Sin comentarios
1	PROYECTO DE ANEXO DE LA NIMF 28: TRATAMIENTO DE IRRADIACION CONTRA <i>PARACOCCLUS MARGINATUS</i> (2023-034)	C	Category : TECHNICAL (9) Colombia (15 Aug 2024 10:39 PM) Para los nombres científicos, el género siempre se escribe con la primera letra mayúscula y la especie en minúscula. No es correcto usarla mayúscula sostenida para nombres científicos.
12	2023-09: El Comité de Normas (CN) añadió el tema Tratamiento de irradiación para <i>Tratamiento de irradiación para Paracoccus marginatus</i> (2023-034) al programa de trabajo del Grupo técnico sobre tratamientos fitosanitarios (GTTF) y posteriormente (2023-11) le asignó prioridad 1.	P	Category : EDITORIAL (10) Colombia (15 Aug 2024 10:40 PM) Se sugiere verificar el uso adecuado de la cursiva
12	2023-09: El Comité de Normas (CN) añadió el tema <i>Tratamiento de irradiación para Paracoccus marginatus</i> (2023-034) al programa de trabajo del Grupo técnico sobre tratamientos fitosanitarios (GTTF) y posteriormente (2023-11) le asignó prioridad 1.	C	Category : EDITORIAL (2) Ecuador (30 Jul 2024 3:29 PM) Nombre científico de la plaga sin cursiva.
26	Artículos reglamentados objeto del tratamiento Todas las frutas, hortalizas y plantas ornamentales que son hospedantes de <i>Paracoccus marginatus</i>	C	Category : SUBSTANTIVE (3) Ecuador (30 Jul 2024 3:31 PM) Se debería eliminar las plantas ornamentales para estar en concordancia con el párrafo 19, considerando que existen efectos fisiológicos de la irradiación en plantas.
28	Dosis mínima absorbida de de 177 a 185 Gy para prevenir la eclosión de huevos de <i>Paracoccus marginatus</i> .	P	Category : SUBSTANTIVE (12) Colombia (15 Aug 2024 10:44 PM) Considerando que en el artículo científico referencial se habla de dosis 176.5-185.2 Gy, se sugiere dejar el rango mencionado.
38	Esta sección no es parte de la norma. En el mayo de 2016 el Comité de Normas pidió a la secretaría de la CIPF para reunir información sobre los posibles problemas de implementación relacionados con este proyecto. Le rogamos indicar los detalles y propuestas sobre cómo hacer frente a estos posibles problemas de implementación.	P	Category : EDITORIAL (11) Colombia (15 Aug 2024 10:41 PM) Se sugiere eliminar las palabras indicadas para una mejor lectura

2024 FIRST CONSULTATION 1 July – 30 September 2024

Compiled comments for Draft annex to ISPM 28: Irradiation treatment for *Paracoccus marginatus* (2023-034) - French

T (Type) - B = Bullet, C = Comment, P = Proposed Change, R = Rating
S (Status) - A = Accepted, C = Closed, O = Open, W = Withdrawn, M = Merged

Para	Text	T	Comment
G	(General Comment)	C	Category : <i>SUBSTANTIVE</i> (44) Benin (26 Sep 2024 1:24 PM) Nous soutenons le draft