

Non-Quarantine Pest List (329 species and 5 genera)

(Newly added species are underlined and will take effect on 24 August 2014)

1. Injurious Animals : 304 species

(24 February 2014)

Phylum/Group	Scientific or common name of pest
a. Arthropods: 297 species	<p><i>Abraxas miranda</i>, <u><i>Acanthopplusia agnata</i></u>, <i>Acarus siro</i>, <u><i>Aceria tulipae</i></u> (excluding those are attached to plants for planting), <u><i>Acrolepiopsis sapporensis</i></u>, <i>Acrothinium gaschkevitschii</i>, <i>Actias artemis</i>, <i>Actias gnoma</i>, <u><i>Agrotis segetum</i></u>, <u><i>Aleurocanthus cinnamomi</i></u>, <u><i>Aleurocanthus spiniferus</i></u>, <u><i>Aleuroglyphus ovatus</i></u>, <u><i>Aleurolobus marlatti</i></u>, <i>Anaphothrips obscurus</i>, <i>Anaphothrips sudanensis</i>, <i>Anomoneura mori</i>, <i>Antheraea yamamai</i>, <i>Antonina crawii</i>, <i>Aonidiella aurantii</i>, <i>Aonidiella citrina</i>, <u><i>Aonidiella orientalis</i></u>, <i>Aphis craccivora</i> (excluding those are attached to plants for planting), <i>Aphis fabae</i> (excluding those are attached to plants for planting), <i>Aphis gossypii</i> (excluding those are attached to plants for planting), <i>Aphis nerii</i>, <i>Aphrophora flavipes</i>, <i>Araecerus coffeae</i>, <i>Arge nigrinodosa</i>, <i>Arge nipponensis</i>, <i>Arge pagana</i>, <i>Arge similis</i>, <i>Armadillidium vulgare</i>, <i>Artona martini</i>, <i>Aspidiotus destructor</i>, <i>Aspidiotus excisus</i>, <i>Atractomorpha psittacina</i>, <i>Aulacaspis rosae</i>, <i>Aulacorthum circumflexum</i> (excluding those are attached to plants for planting), <i>Aulacorthum solani</i> (excluding those are attached to plants for planting), <i>Autographa gamma</i>, <i>Bactrocera depressa</i>, <i>Batracomorphus diminutus</i>, <i>Bombyx mandarina</i>, <i>Bothrogonia ferruginea</i>, <u><i>Brachycaudus helichrysi</i></u> (excluding those are attached to plants for planting), <u><i>Brahmaea japonica</i></u>, <i>Brevicoryne brassicae</i>, <u><i>Brevipalpus californicus</i></u> (excluding those are attached to plants for planting), <u><i>Brevipalpus lewisi</i></u>, <i>Brevipalpus obovatus</i>, <i>Bruchus pisorum</i>, <i>Bruchus rufimanus</i>, <u><i>Bryobia praetiosa</i></u>, <u><i>Bryobia rubrioculus</i></u>, <i>Callosobruchus chinensis</i>, <i>Carpophilus hemipterus</i>, <i>Cassida nebulosa</i>, <u><i>Cavariella aegopodii</i></u> (excluding those are attached to plants for planting), <u><i>Ceroplastes ceriferus</i></u>, <u><i>Ceroplastes floridensis</i></u>, <u><i>Ceroplastes rubens</i></u>, <u><i>Cetonia pilifera</i></u>, <u><i>Chaetanaphothrips orchidii</i></u>, <u><i>Chauliops fallax</i></u>, <i>Chirothrips manicatus</i>, <u><i>Chromatomyia horticola</i></u>,</p>

Chrysodeixis acuta, Chrysolina aurichalcea, Chrysomela populi, Chrysomphalus aonidum,
Chrysomphalus bifasciculatus, Chrysomphalus dictyospermi, Cicadella viridis, Cinara piceae,
Cinara piniformosana, Cnaphalocrocis medinalis, Coccus hesperidum, Coccus viridis, Coptotermes
formosanus, Cosmopolites sordidus, Criotettix japonicus, Cryptolestes ferrugineus, Cryptolestes
pusilloides, Cryptolestes pusillus, Cryptolestes turcicus, Cryptophlebia ombrodelta, Dactylispa
issikii, Delia antiqua, Dialeurodes citri, Diaspidiotus perniciosus, Diaspis boisduvalii, Diaspis
bromeliae, Diaspis echinocacti, Dinoderus japonicus, Dinoderus minutus, Diostrombus politus,
Dolycoris baccarum, Dulinius conchatus, Dysaphis foeniculus, Dysaphis tulipae, Dysmicoccus
wistariae, Earias cupreoviridis, Earias roseifera, Echinothrips americanus, Ephestia elutella,
Epicauta gorhami, Epuraea domina, Eriococcus coccineus, Erionota torus, Eriosoma lanigerum,
Eulachnus thunbergii, Euparatettix insularis, Evacanthus interruptus, Everes argiades, Eysarcoris
aeneus, Eysarcoris guttiger, Ferrisia virgata (excluding those are attached to plants for planting),
Fiorinia fioriniae, Fiorinia theae, Frankliniella fusca (excluding those are attached to plants for planting),
Frankliniella intonsa (excluding those are attached to plants for planting), Frankliniella occidentalis
(excluding those are attached to plants for planting), Frankliniella tenuicornis (excluding those are
attached to plants for planting), Fulmekiola serrata, Galerucella grisescens, Gastrolina depressa,
Geisha distinctissima, Glyphodes perspectalis, Gnathocerus cornutus, Grapholita molesta,
Graphosoma rubrolineatum, Gryllus bimaculatus, Haplothrips aculeatus, Haplothrips ganglbaueri,
Haplothrips leucanthemi, Helicoverpa armigera armigera, Helicoverpa assulta assulta, Heliothrips
haemorrhoidalis, Hemiberlesia lataniae, Hemiberlesia palmae, Hemiberlesia rapax, Haritalodes
derogata, Hercinothrips femoralis, Herpetogramma licarsisale, Hestina assimilis, Heterobostrychus
hamatipennis, Hypera postica (excluding those are attached to plants for planting), Hyperomyzus
lactucae (excluding those are attached to plants for planting), Icerya purchasi, Icerya seychellarum,
Japananus hyalinus, Kermococcus nakagawae, Lampides boeticus, Lasioderma serricorne,
Lepidosaphes beckii, Lepidosaphes camelliae, Lepidosaphes gloverii, Lepidosaphes laterochitinsa.

Lepidosaphes machili, Lepidosaphes pini, Liorhyssus hyalinus, Liothrips vaneeckeii, Lipaphis erysimi (excluding those are attached to plants for planting), Liriomyza brassicae, Liriomyza chinensis, Liriomyza huidobrensis, Liriomyza sativae, Loboschiza koenigiana, Lophocateres pusillus, Loxoblemmus doenitzi, Lyctoxylon dentatum, Lyctus brunneus, Macrosiphum euphorbiae (excluding those are attached to plants for planting), Mamestra brassicae, Martyniella xeraula, Maruca vitrata, Megalurothrips distalis, Melanagromyza sojae, Melanaspis bromiliae, Milviscutulus mangiferae, Minthea rugicollis, Monema flavescens, Moritziella castaneivora, Mycterothrips glycines, Myocalandra exarata, Mythimna separata, Myzus ascalonicus (excluding those are attached to plants for planting), Myzus hemerocallis, Myzus ornatus (excluding those are attached to plants for planting), Myzus persicae (excluding those are attached to plants for planting), Nemapogon granella, Neotoxoptera formosana, Nezara viridula, Odoiporus longicollis, Olethreutes lacunana, Orthonama obstipata, Oryzaephilus mercator, Oryzaephilus surinamensis, Ostrinia furnacalis, Ovatus nipponicus, Palpita nigropunctalis, Panonychus citri, Panonychus ulmi, Pantomorus cervinus, Parabemisia myricae (excluding those are attached to plants for planting), Paralipsa gularis, Parasaissetia nigra, Parlatoreopsis pyri, Parlatoria camelliae, Parlatoria pergandii, Parlatoria proteus, Parlatoria ziziphi, Penthimia nitida, Peridroma saucia, Phenacoccus madeirensis, Phenacoccus solani, Phloeomyzus passerinii, Phthorimaea operculella, Phytoecia rufiventris, Pieris rapae, Pinnaspis strachani, Planococcus kraunhiae, Plutella xylostella, Protopulvinaria pyriformis, Pryeria sinica, Pseudaonidia duplex, Pseudaonidia trilobitiformis, Pseudaulacaspis cockerelli, Pseudaulacaspis pentagona, Pseudococcus comstocki, Pseudococcus cryptus, Pseudococcus longispinus (excluding those are attached to plants for planting), Ptilineurus marmoratus, Ptinus clavipes, Ptinus japonicus, Pulvinaria psidii, Pyrausta nipoensis, Pyrrhalta fuscipennis, Pyrrhalta maculicollis, Pyrrhocoris sibiricus, Rhizoglyphus robini, Rhizopertha dominica, Rhodinia fugax, Rhopalosiphum maidis (excluding those are attached to plants for planting), Rhopalosiphum padi (excluding those are attached to plants for planting), Rhopalus maculatus, Saissetia coffeae,

	<p><i>Sancassania berleseii</i>, <u><i>Scirtothrips dorsalis</i></u> (excluding those are attached to plants for planting), <u><i>Semiaphis heraclei</i></u>, <u><i>Sericinus montela</i></u>, <u><i>Sipalinus gigas</i></u>, <i>Sitophilus oryzae</i>, <i>Sitophilus zeamais</i>, <i>Sitotroga cerealella</i>, <i>Spodoptera exigua</i>, <i>Spodoptera litura</i>, <i>Stegobium paniceum</i>, <i>Stenchaetothrips biformis</i>, <i>Stephanitis pyrioides</i>, <i>Stephanitis takeyai</i>, <i>Stigmaeopsis celarius</i>, <i>Syrista similis</i>, <i>Taeniothrips euchariei</i>, <i>Teleogryllus emma</i>, <i>Teleogryllus occipitalis</i>, <i>Tenebroides mauritanicus</i>, <u><i>Tenuipalpus pacificus</i></u>, <u><i>Tetranychus kanzawai</i></u>, <u><i>Tetranychus ludeni</i></u>, <u><i>Tetranychus phaselus</i></u>, <u><i>Tetranychus truncatus</i></u>, <u><i>Tetranychus urticae</i></u>, <i>Tetrix japonica</i>, <i>Theretra japonica</i>, <u><i>Thrips alliorum</i></u>, <i>Thrips flavus</i>, <u><i>Thrips hawaiiensis</i></u>, <u><i>Thrips nigropilosus</i></u>, <u><i>Thrips palmi</i></u> (excluding those are attached to plants for planting), <u><i>Thrips simplex</i></u>, <i>Thrips tabaci</i>, <i>Thyestilla gebleri</i>, <u><i>Thysanoplusia intermixta</i></u>, <u><i>Trialeurodes vaporariorum</i></u> (excluding those are attached to plants for planting), <u><i>Tribolium castaneum</i></u>, <i>Tribolium confusum</i>, <i>Trichoplusia ni</i>, <i>Trogoderma inclusum</i>, <i>Trogoderma varium</i>, <i>Tyrophagus putrescentiae</i>, <i>Udonomeiga vicinalis</i>, <i>Uhlerites debilis</i>, <u><i>Unaspis yanonensis</i></u>, <i>Urochela luteovaria</i>, <i>Urophorus humeralis</i>, <i>Vanessa indica</i>,</p>
b. Mollusks: 7 species	<p><u><i>Acusta despecta</i></u>, <u><i>Bradybaena similaris</i></u>, <u><i>Deroceras laeve</i></u>, <u><i>Laevicaulis alte</i></u>, <u><i>Pomacea canaliculata</i></u>, <u><i>Succinea lauta</i></u>, <u><i>Zonitoides arboreus</i></u></p>

2. Injurious Plants and Microorganisms : 25 species and 5 genera

Phylum/Group	Scientific name of pest
a. Fungi: 21 species and 5 genera	<p><i>Alternaria citri</i>, <i>Alternaria dauci</i>, <i>Alternaria dianthi</i>, <i>Alternaria solani</i>, <i>Appendiculella calostroma</i>, <i>Armatella litseae</i>, Genus <i>Aspergillus</i>, <i>Asteridiella raphiolepidis</i>, <i>Asterina daphniphylli</i>, <i>Botrytis cinerea</i>, <i>Botrytis allii</i>, <i>Ceratocystis paradoxa</i>, <u><i>Cercospora kikuchii</i></u>, <u><i>Cladosporium cucumerinum</i></u>, <i>Claviceps purpurea</i>, <u><i>Colletotrichum coccodes</i></u>, <i>Fusarium oxysporum</i> f. sp. <i>narcissi</i>, <i>Fusarium oxysporum</i> f. sp. <i>tulipae</i>, <i>Geotrichum candidum</i>, <i>Macrophomina phaseolina</i>, Genus <i>Nigrospora</i>, Genus <i>Penicillium</i>, Genus <i>Rhizopus</i>, <i>Sclerotinia sclerotiorum</i>, <u><i>Stagonospora curtisii</i></u>, Genus <i>Trichothecium</i>,</p>

b. Bacteria: 2 species	<u><i>Pectobacterium carotovorum</i> subsp. <i>carotovorum</i>, <i>Pectobacterium cypripedii</i></u>
c. Viruses: 2 species	<i>Cymbidium mosaic virus</i> , <i>Odontoglossum ringspot virus</i>